



10/ 700 283

copy

Customer No. 26308

PATENT 9414.17206-CIP DIV

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent Number : 6,860,902
Issued : March 1, 2005
Name of Patentee : Mark A. Reiley
Title of Invention : Ankle Replacement System

Commissioner for Patents
PO Box 1450
Alexandria, VA 22313-1450

Certificate
SEP 12 2005
of Correction

ATTENTION: Decision and Certificate of Correction
Branch of the Patent Issue Division

REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT
FOR APPLICANT'S MISTAKE (37 CFR 1.323)

1. It is noted that an error appears in this patent of a
☐ clerical
☒ typographical
☐ minor
nature or character, as more fully described below. It occurred in good faith. Correction thereof does not involve such changes in the patent as would constitute new matter or would require re-examination. A certificate of correction is requested.
2. Attached in duplicate is Form PTO-1050 with at least one copy being suitable for printing.

NOTE: Form PTO-1050, using the column and line number in the printed patent, should be used exclusively regardless of the length of complexity of the subject matter. MPEP § 1485.

NOTE: The patent grant should be retained by the patentee. The PTO does not attach the certificate of correction to the patentee's copy of the patent. The patent grant will be returned to the patentee if submitted. MPEP § 1485.

CERTIFICATE OF MAILING (37 CFR 1.8(a))

I hereby certify that this paper (along with any referred to as being attached or enclosed) is being deposited with the United State Postal Service on the date shown below with sufficient postage as first class mail in an envelope addressed to the: Commissioner for Patents, PO Box 1450, Alexandria, VA 22313-1450

Date: 1 September 2005

Mary Szollar
Type or print name of person mailing paper
Mary Szollar
(Signature of person mailing paper)

09/07/2005 SDENB0B1 00000111 6860902

01 FC:1811

100.00 GP

3. The exact page and line number where the errors occur in the application file are:

NOTE: This information should be identified in this request, however, on Form PTO-1050, only the column and line number in the printed patent should be used. MPEP § 1485.

In the Application:

In the Amendment dated 13 August 2002, line 5 of claim 2, after "movement of the" delete "join" and substitute – joint --

4. Please send the Certificate to:


RYAN KROMHOLZ & MANION, S.C.
Post Office Box 26618
Milwaukee, Wisconsin 53226

5. Please pay the fee of \$100.00, as required by 37 CFR 1.20(a), as follows:

☒ Enclosed is a check for \$100.00

☐ Charge Deposit Account No. 06-2360 the sum of \$100.00. A duplicate of this request is attached.

By



Daniel D. Ryan, Reg. No. 29,243
Attorney of Record

RYAN KROMHOLZ & MANION, S.C.
Post Office Box 26618
Milwaukee, Wisconsin 53226
(262) 783 - 1300
Customer No. 26308

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO. : 6,860,902

DATED : 1 March 2005

INVENTOR(S) : Mark A. Reiley

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 12, line 9, after "movement of the" delete "join" and substitute – joint --

Mailing Address of Sender:
Ryan Kromholz & Manion, S.C.
Post Office Box 26618
Milwaukee, Wisconsin 53226

Number of Copies: 0

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO. : 6,860,902

DATED : 1 March 2005

INVENTOR(S) : Mark A. Reiley

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 12, line 9, after "movement of the" delete "join" and substitute – joint --

Mailing Address of Sender:
Ryan Kromholz & Manion, S.C.
Post Office Box 26618
Milwaukee, Wisconsin 53226

Number of Copies: 0